

Introduction to L^AT_EX

J.L. Rouet

University of Orléans

15 mars 2024

- L^AT_EX is not a requirement
- Using Microsoft Word is also possible
- Word (or OpenOffice) may be more familiar
- To follow their style requirements, journals provide templates
- See for example the website of the Journal of the American Physical Society
- But APS do not provide any Word template . . .
- First, read carefully the “author guidelines” page of the journal
- Here we will show how to prepare a document using L^AT_EX

Example of a L^AT_EX document “.tex” 1/2


```
\documentclass[a4paper]{article}\documentclass[a4paper]{article}
%Language and font encodings%Language and font encodings
\usepackage[english]{babel}\usepackage[english]{babel}
\usepackage[utf8x]{inputenc}\usepackage[utf8x]{inputenc}
\usepackage[T1]{fontenc}\usepackage[T1]{fontenc}
%Sets page size and margin%Sets page size and margin
\usepackage[a4paper,top=3cm,bottom=2cm,left=3cm,right=3cm]{geometry}\usepackage[a4paper,top=3cm,
%Useful packages%Useful packages
\usepackage{amsmath}\usepackage{amsmath}
\usepackage{graphicx}\usepackage{graphicx}
\usepackage[colorinlistoftodos]{todonotes}\usepackage[colorinlistoftodos]{todonotes}
\usepackage[colorlinks=true, allcolors=blue]{hyperref}\usepackage[colorlinks=true,
allcolors=blue]{hyperref}
\title{Your Article Title}\title{Your Article Title}
\author{Your Name}\author{Your Name}
```

Example of a L^AT_EX document “.tex” 2/2

```
\begin{document}\begin{document}
\maketitle\maketitle
\begin{abstract}\begin{abstract}
Your abstract.
\end{abstract}\end{abstract}
\section{Introduction}\section{Introduction}
Your introduction goes here! Some examples of commonly used commands and
features are listed below, to help you get started. If you have a question, please use
the help menu (“?”) on the top bar to search for help or ask us a question.
\section{Some examples to start}\section{Some examples to start}
\subsection{How to add Comments}\subsection{How to add Comments}
Comments can be added to your project by clicking on the comment icon in the
toolbar above. To reply to a comment, simply click the reply button in the lower right
corner of the comment, and you can close them when you’re done.
\bibliographystyle{plain}\bibliographystyle{plain}
\bibliography{sample}\bibliography{sample}
\end{document}\end{document}
```

L^AT_EX ... or not L^AT_EX ...

- Not WYSIWYG
- You need to “compile” your .tex file »
- You need to learn some commands
- But Tools (today Overleaf) will help you
- The .tex document may be opened with a simple text editor
- Splits the form from the content
- A single instruction deals with the form of the document
- Even social science researchers use it !



5 / 27

Command structure

`\` to start a command

`\command`

to know LaTeX `\Large` is important
to know LaTeX **is important**
to know LaTeX `{\Large is}` important
to know LaTeX **is** important

`\command{argument}`

to know LaTeX `\textit{is very}` important
to know LaTeX *is very* important

`\command{argument1,argument2,...}`

to know LaTeX `\textcolor{red}{is very}` important
to know LaTeX **is very** important
to know LaTeX `\textcolor{red}{\textit{is very}}`
important
to know LaTeX *is very* important

`\command[option]{argument}`

7 / 27

L^AT_EX Compiler

Let's try by yourself

- Today we will use the online L^AT_EX editor : Overleaf
 - It will provide both L^AT_EX compiler and interface
 - Useful automatic command completion
 - Documentation
 - Review style sheets

⚠ Your files are on servers, somewhere ...

- On your computer
 - Install Latex
 - Install an interface as Texmaker
 - Then you have to download the journal style sheet

6 / 27

Command structure

Environment

`\begin{env}`

...

some text, commands

...

`\end{env}`

- first
- second
- third

enumerate environment

`\begin{enumerate}`

`\item` first

`\item` one more

`\item` second

`\item` third

`\end{enumerate}`

1. first
2. one more
3. second

Special Characters

<code>\</code>	backslash	<code>\backslash</code>
<code>~</code>	unbreakable space	<code>\verb+~+</code>
<code>\$</code>	to open and close equation mode (T _E X)	<code>\\$</code>
<code>&</code>	separates columns (table environment)	<code>\&</code>
<code>%</code>	commented line	<code>\%</code>
<code>#</code>	uses in command definition	<code>\#</code>
<code>^</code>	power (equation mode)	<code>\verb+^+</code>
<code>_</code>	index (equation mode)	<code>_</code>
<code>{ }</code>	delimitation of command arguments	<code>\{ \}</code>

9 / 27

.tex file structure

```
\documentclass{article}           call article.cls file
\usepackage[utf8]{inputenc}
\usepackage[T1]{fontenc}
\usepackage{graphicx}
\usepackage{amssymb,amsmath}
\setlength{\parindent}{0in}
\begin{document}
    :
    your text
    :
\end{document}
```

10 / 27

Document hierarchy

```
\documentclass[11pt, landscape, twocolumn, leqno,...]{article}
\usepackage{graphics}
:
\begin{document}
  \section{Section Name}
    \subsection{Subsection Name}
      \subsubsection{Subsubsection Name}
        \paragraph{Paragraph Title}
          \subparagraph{Subparagraph Title}
\end{document}
```

11 / 27

A possible article structure

```
\documentclass[11pt, landscape, twocolumn, leqno,...]{article}
\title{Your title}
\author{author' name}\affiliation{laboratory}
\address{laboratory address}
\begin{document}
\maketitle
\begin{abstract}Your abstract\end{abstract}
\section{Introduction}
\section{Methods}
\section{Results}
\section{Discussion and Conclusion}
\section{Acknowledgments}
\bibliographystyle{stylename.dtx}
\bibliography{bibfile.bib}
\end{document}
```

12 / 27

Label and Reference : a useful couple

- `\label{mark}` tag an object
- `\ref{mark}` refer to the tagged object
- Object could be :
 - chapter, section, subsection, appendix
 - figure, table
 - equation
 - code listing, algorithm
 - item in a list

```
\section{Results}\label{sec:intro}
```

As seen in the results section `\ref{sec:intro}` the influence of ...

13. Results

As seen in the results section 13 the influence of ...

13 / 27

Equation : embedded in the text

equation `\{a x^2 = 0\}` gives...

equation $ax^2 = 0$ gives...

Variables should be written using equation mode

The number `\{N\}` of particles ...

The number N of particles ...

Equation mode provides Greek letters

```
\{\alpha\beta\gamma\omega\quad\Omega\}
```

$\alpha\beta\gamma\omega\quad\Omega$

`\,` and `\quad` provide spaces.

14 / 27

Labelled and not labelled equations

The solution of the harmonic oscillator reads

```
\[x(t)=X_m\cos(\omega t+\varphi)\]
```

$$x(t) = X_m \cos(\omega t + \varphi)$$

Let us consider the integral

```
\begin{equation}
```

```
\int_{x=0}^{\infty}\frac{x}{x^2+1} dx
```

```
\label{eq :equation1}
```

```
\end{equation}
```

The solution of Eq. `\eqref{eq :equation1}` gives...

Let us consider the integral

$$\int_{x=0}^{\infty} \frac{x}{x^2+1} dx \quad (1)$$

The solution of Eq.(1) gives...

15 / 27

Figure

- `\usepackage{graphicx}` to include in the preamble
 - `\includegraphics[scale=2]{graphe.pdf}` to include the figure
 - `[width=largeur,height=hauteur,scale=valeur,angle=angle,...]`
 - other possible options ...
 - other figure formats are allowed .png .jpeg
- ```
\includegraphics[width=3cm]{graphe.pdf}
```
- ```
\includegraphics[width=3cm,angle=90]{graphe.pdf}
```



16 / 27

Figure Environment

```


\begin{figure}[htb]
  \centering
  \includegraphics[width=3cm]{graphe.pdf}
  \caption{Your caption.}\caption{A strawberry pie.}
  \label{fig :tag}
\end{figure}

```




Figure 1 – A strawberry pie.

Preparing figures 1/2




Avoid flourishes (here 3D bars) but improve the lecture of the data.



Pay attention to black and white reproduction.

Preparing figures 2/2



Take big enough character size.

Table

```

\begin{tabular}{clr}
time & x & y \\
0 & 0.25 & 1.45 \\
10 & 0.75 & 2.98 \\
25 & 0.99 & 3.27
\end{tabular}

```

t	x	y
0	0.25	1.45
10	0.75	2.98
25	0.99	3.27

Table

```
\begin{tabular}{clr}
\t (s) & \x (nm) & \y (nm) \\
0 & 0.25 & 1.45 \\
10 & 0.75 & 2.98 \\
25 & 0.99 & 3.27
\end{tabular}
```

t (s)	x (nm)	y (nm)
0	0.25	1.45
10	0.75	2.98
25	0.99	3.27

21 / 27

Table

```
\begin{tabular}{c||r}
\t (s) & \x (nm) & \y (nm) \\
0 & 0.25 & 1.45 \\
10 & 0.75 & 2.98 \\
25 & 0.99 & 3.27
\end{tabular}
```

t (s)	x (nm)	y (nm)
0	0.25	1.45
10	0.75	2.98
25	0.99	3.27

22 / 27

Table

```
\begin{tabular}{clr}\hline
\t (s) & \x (nm) & \y (nm) \\
0 & 0.25 & 1.45 \\
10 & 0.75 & 2.98 \\
25 & 0.99 & 3.27 \\
\end{tabular}
```

t (s)	x (nm)	y (nm)
0	0.25	1.45
10	0.75	2.98
25	0.99	3.27

23 / 27

Table

```
\begin{tabular}{clr}\hline
& \multicolumn{2}{c}{coordinates} \\
\t (s) & \x (nm) & \y (nm) \\
0 & 0.25 & 1.45 \\
10 & 0.75 & 2.98 \\
25 & 0.99 & 3.27 \\
\end{tabular}
```

coordinates		
t (s)	x (nm)	y (nm)
0	0.25	1.45
10	0.75	2.98
25	0.99	3.27

24 / 27

Table

```
\begin{tabular}{clr}\hline
&\multicolumn{2}{c}{coord.}\cline{2-3}
\ (t\ ) (s) & \ (x\ ) & \ (y\ )\ \hline
0 & 0.25 & 1.45 \ \
10 & 0.75 & 2.98 \ \
25 & 0.99 & 3.27 \ \hline
\end{tabular}
```

t (s)	coord.	
	x (nm)	y (nm)
0	0.25	1.45
10	0.75	2.98
25	0.99	3.27

25 / 27

Table Environnement

```
\begin{table}[htb]
\centering
\begin{tabular}{clr}\hline\ (t\ ) (s)&\ (x\ ) (nm)&\ (y\ )
(nm)\ \hline 0&0.25&1.45\ \10&0.75&2.98&25&0.99&\ \
3.27\ \hline\end{tabular}
\caption{Your caption.}\caption{Trajectory of point A.}
\label{fig :tag}
\end{table}
```

t (s)	coord.	
	x (nm)	y (nm)
0	0.25	1.45
10	0.75	2.98
25	0.99	3.27

Table 1 – Trajectory of point A.

26 / 27

Bibliography

- *Once the .bib file is exported from Zotero, to construct the bibliography is simple*

```
\bibliographystyle{stylename.dtx}
\bibliography{bibfile.bib}
```
- *stylename.dtx is provided by the journal*
- *bibfile.bib should contains all cited references*
- *Each reference in the bibfile.bib has a tag. It is recalled by the `\cite{reftag}` command*

27 / 27